

Punjab State Power Corporation Limited

Regd. office: PSEB Head Office, The Mall, Patiala-147001.
Corporate Identity Number: U40109PB2010SGC033813, Website; www.pspcl.in
Phone: 0164-2756347, Fax No.: 0164-2756255, E-mail: sc-hq-op-lehra@pspcl.in

, , , , ,	GSTIN: 03AAFCP5120Q1ZC
Enquiry No.1.	120 NAM/PC- 2327 Dated 30-7-2022
From	Chief Engineer/O&M, (Procurement Cell), GHTP, Lehra Mohabbat-151111.
Regd.	United bugunuf letters
Subject:-	Memo No. Dated: Enquiry for the procurement of Glass wase Silica ware Phartic wase & other Consumables
	(Date & time of receipt of tender-Upto 11.30 AM dt.) Date & time of opening of tender-12.00 PM dt.: (In case opening date happens to be a holiday tenders shall be received & opened on next working day at the same time).
	Please send your quotation in duplicate on firm prices for supply and delivery of since with general terms and conditions given in Annexure-'B' attached. The unit rates and in the same order as given in the schedule of requirement attached as Annexure-'A'. the enquiry number and date of opening of tenders must be legibly mentioned at right called cover.
i)	Also please note that:- Competent authority may divide the quantities to be procured and place order on more than one firm.
	"Certified that the rates quoted are reasonable and these are not more than those from other Govt. Departments. Dy. Chief Engineer/HQs.
DA/Annexure	GHTP Lehra Mohabhat.
CC:	Dy. CE/SE/ Tho f, GHTP, Lehra Mohabbat. He is requested to check up the specifications and intimate if there is any discrepancy.
2	Notice Board, GHTP, Lehra Mohabbat. Tender up Logal at PS. P.CL web site

ANNEXURE-'A'

Enquiry No. 1420 /O&M/PC-2327 Dated: 26-7--2022 Due on 18-08---2022

SCHEDULE OF REQUIREMENT

DETAIL OF GLASSWARE

Sr.	GHTP Code No.	Description of material	Make	Uni t	Qty. Required
No.	Code No.	Beaker, Low form with spout			
1			D-resil/	No.	15
a	CH200502	100ml	Borosil/ Merk/Glaxo	140.	, .
•		A ²	-do-	No.	18
<u> </u>	CH200503	250ml	-do-	No.	04
С	CH200504	500ml	-do-	No.	06
d	CH200505	1000ml	-40-	-	
2		Burette (2121/24),screw thread stop			10.
_		cocks with PTFE keys, accuracy as			2
		per class B with bor , PTFE stop			16.90
		cock	-do-	No.	10
а	CH206102	50ml	1		
3		Flask, Erlenmeyer, Conical flask,			14
	011001101	Narrow Mouth	-do-	No.	24
a	CH204101	250ml	-do-	No.	06
b	CH204102	500ml			13
4		Watch Glass	-do-	No.	05
а	CH208001	80 mm	-do-	No.	04
b	CH208002	150 mm			- 1-7-1-1
5		Flask, Volumetric, With Interchangeable Glass Solid			
		stopper, Accuracy As Per Class B			200
	CH204001	100 ml	-do-	No.	05
a	CH204001	100 ml (Amber)	-do-	No.	02
b	CH204508	250ml.	do-	No.	05
С	CH204102	2001111.		ļ	00
d	CH204003	500 ml	-do-	No	06
ď	0,120,1000		4.	No.	06
е	CH204004	1000 mi	-do-	No.	00
f	CH204005	2000 ml	-do-	110.	02
6		Petri Dish	=	1	
		T (00:45) Cat 2455	-do-	No.	10
а	CH203504		-do-	No.	02
7	CH253001	Distilling Apparatus, Dean & Stark apparatus, Moisture Test in	300	* 13	
	7		4		- 1
-	CH253002	oil(3602) Receiver for dean & stark (cap.10	-do-	No.	02
8	CH253002	ml)			* 5
1		with 19/26 outer joint & 24/29 inner			
1		joint, graduated			

THERMAL PLANT LEUDA

D			TAL	
Pipette, Measuring (SEROLUGICA Pipettes), Class B, White marking, Graduated	Boro Meri	osil/ k/Glaxo	No	
CH206009			Na	
D	-do-		No.	
C	-do-		No.	
CH206013 25 ml Pipette, transfer, Volumetric, Class CH206008 20 ml CH206014 25 ml CH206006 Absorption Pipete for orsat Cat. 439/5 SEPARATING FUNNEL, PEAR SHAPE With boroflo Stopcock & I/C Glass Stopper(6402) Glass Stopper(6402) Absorption Pipete for orsat Cat. 439/5 SEPARATING FUNNEL, PEAR SHAPE With boroflo Stopcock & I/C Glass Stopper(6402) Absorption Pipete for Orsat Cat. 439/5 Absorption Pipete for Orsat Cat. 439/5 Absorption Pipete for Orsat Cat. 439/5 Absorption Pipete for Orsat Apparatus (Pipeter of Orsat Apparatus Ch20501 CH204501 Dittor of Ch204501 Dittor of Ch204502 Dittor of Ch204503 Dittor of Ch204504 Dittor of Ch204504 Dittor of Ch204505 Dittor of Ch204505 Dittor of Ch204505 Dittor of Ch204506 Dittor of Ch204507 Dittor of Ch20	-do-		No.	2
11	-do-		No.	04
A	В		ļ.,	
D	-do-		No.	04
C	-do-	1 6	No.	04
SEPARATING FUNNEL, PEAR SHAPE With boroflo Stopcock & I/O Glass Stopper(6402)	5 Perfit		No.	15
D		X	N	04
CH204518 Specific Gravity Bottle-25 ml	Borosil Merk/G		No.	04
FUNNELS, Plain, 60°C Angle, Short Stem	-do-		No	02
A	-do-		No.	05
CH201004				
Cylinders, Graduate J, Single Metric Scale, with Penny Head Interchangeable Stopper with hexagonal Base, Class B CH202501 Cylinder with stopper 10 ml CH202507 Cylinder with stopper 50 ml CH202508 Cylinder with stopper 100 ml Nessler Cylinder CH202601 50 ml CH202602 100 ml Reagent Bottles Plain CH204503 250 ml CH204504 500 ml CH204505 1000 ml Reagent Bottle Amber CH204506 250 ml CH204507 500 ml CH253501 Borosilicate Glass Orsat gas analysis apparatus (3 test manifold) CH253502 Gas Burrete for Orsat appartus 100ml CH253503 Three test Manifold for Orsat	-do-		No.	06
Scale, with Penny Head Interchangeable Stopper with hexagonal Base, Class B	-do-	N	10.	02
CH202507 Cylinder with stopper 50 ml				
C CH202508 Cylinder with stopper 100 ml Nessler Cylinder CH202601 50 ml CH202602 100 ml Reagent Bottles Plain CH204503 250 ml CH204504 500 ml CH204505 1000 ml Reagent Bottle Amber CH204506 250 ml CH204507 500 ml CH204507 500 ml CH253501 Borosilicate Glass Orsat gas analysis apparatus (3 test manifold) CH253502 Gas Burrete for Orsat appartus 100ml CH253503 Three test Manifold for Orsat	-do-	N		05
Nessler Cylinder	-do-	N		20
CH202601 50 ml	-do-	No	0.	25
CH202602 100 ml		- IN-		40
Reagent Bottles Plain	-do-	No		10
CH204503 250 ml	-do-	No). 	10
CH204504 500 ml CH204505 1000 ml Reagent Bottle Amber CH204506 250 ml CH204507 500 ml CH253501 Borosilicate Glass Orsat gas analysis apparatus (3 test manifold) CH253502 Gas Burrete for Orsat appartus 100ml CH253503 Three test Manifold for Orsat	-do-	No		05
CH204505 1000 ml	-do- -do-	No		10
Reagent Bottle Amber CH204506 250 ml CH204507 500 ml CH253501 Borosilicate Glass Orsat gas analysis apparatus (3 test manifold) Spares for Orsat apparatus CH253502 Gas Burrete for Orsat apparatus 100ml PCH253503 Three test Manifold for Orsat PCH253503 CH253503 CH2535	-do- -do-	No		08
CH204506 250 ml	-40-	140.	-	-00
CH204507 500 ml CH253501 Borosilicate Glass Orsat gas analysis apparatus (3 test manifold) CH253502 Gas Burrete for Orsat appartus 100ml CH253503 Three test Manifold for Orsat	-do-	No.	+	10
9 CH253501 Borosilicate Glass Orsat gas analysis apparatus (3 test manifold) b Spares for Orsat apparatus CH253502 Gas Burrete for Orsat appartus 100ml P CH253503 Three test Manifold for Orsat	do-	No.		08
CH253502 Gas Burrete for Orsat appartus 100ml P CH253503 Three test Manifold for Orsat	Any repute orand			02
CH253502 Gas Burrete for Orsat appartus 100ml P CH253503 Three test Manifold for Orsat P	n di lu	1	3	
CH253503 Three test Manifold for Orsat P	Perfit	No	N.	04
appartus	Perfit	No		10
	erfit	No		04

DETAILS OF SILICAWARE

Sr. No.	GHTP Code No.	Description of Material Indented	Make	Units	Qty. Required
21	CH350501	Moisture dish with lid (Glaxed),translucent Capacity - 35 ml. Part No. S1930	Infusi/ Thiasil	No.	30
22	CH350502	V.M. crucible with lid (Glaxed),translucent H-38mm. D25 mm. Part No. S2010/M	Infusi/ Thiasil	No.	20
23	CH350504	Ash crucible dish capsule/circular H-15mm. D/L 48 mm. Capacity -20 ml. Part No. S2210	Infusi/ Thiasil	No.	20
24	CH350503	Ash dish without lid low form H-28mm. D-47 mm. Capacity -25ml. Part No. 2260	Infusi/ Thiasil	No.	10
25	CH350506		Infusi/ Thiasil	No.	12

DETAILS OF PLASTICWARE

Sr. No.	GHTP Code No.	Description of Material Indented	Make	Units	Qty. Required
26	CH-204701	Aspirator bottle 10 Ltrs.	Tarson / Perfit	No.	5
27	CH-207113	Burette clamp, Double	/ Infusil	No.	8
28	CH-207101	Pipette stand(Horizontal)	1	No.	4
29	CH-207115	Burette Acrylic -50 ml		No.	7
30	CH-204706	Wash bottle(LDPE) -250 ml.	1	No.	10
31		Beaker with Spout			100
а	CH200506	100 ml	Tarson	No.	10
b	CH-200507	250 ml	/ Perfit	No.	15
С	CH-200508	500 ml.	/ Infusil	No.	5
d	CH-200509	1000 ml.	1	No.	3
52	CH253507	Sampling Bottle 1 Litre	1	No.	200
33	CH201003	Funnel Long Stem (100ml)		No.	4
34		Measuring Cylinder with spout			1.85
а	CH202701	100 ml	Tarson	No.	15
b	CH204516	Dropping Bottle 120 ml	/ Perfit / Infusil	No.	20
36		Reagent Bottles			
а	CH-204703	250 ml	Tarson	No.	10
b	CH204704	500 ml	/ Perfit	No.	10
С	CH-204705	1000 ml	/ Infusil		6
37	CH-204106	Conical Flask 250 ml	I don't be	No.	15

DETAILS OF OTHER CONSUMABLE

Sr. No.	GHTP Code No.	Description of Material Indented	Make	Units	Qty. Required
38	CH250026	Spatula Steel -6"	30 10	No.	4
39	CH250032	Spatula Steel -8"		No.	4
40	CH250047	Tong for holding Beakers, 250 mm	PERFIT	No.	4
41	CH000511	Tissue Paper (Std. Size) ROLL	v ~0e192	No.	100
42		Sieves 20cm dia, brass frame without joint & with SS cloth)		1	
а	CH250041	50 Mesh (Perfit Cat. No. 880/16)		No.	1
b	CH250042	100 Mesh (Perfit Cat. No. 880/20)	E	No.	1
С	CH250043	200 Mesh (Perfit Cat. No. 880/24)	PERFIT	No.	2
d	CH250044	Lid & Pan Set for above (Cat No. 881)		No.	1
43	CH253508	Rubber Bladder for gas sampling	Any reputed brand	No.	24
44	CH253509	Rubber Tubing Extra Soft (5mm)	3.3	Mtr.	10

Notes:-1. (i) The firm must have <u>GST Registration number & PAN No.</u> and same should be provided while quoting the rates. If the firm is registered under 'Composite Levies' then the same should be clearly mentioned in the quotation.

(ii) The firm must provide HSN Code in price schedule Performa in Annexure' C'.

(iii) Bidder have to submit the documentary evidence (Latest copy of memorandum of Micro Small & Medium Enterprises field under section-8 of MSMED Act, 2006 duly acknowledged by competent authority) of being a Micro, Small & Medium Enterprise, If the bidder does not submit the proof at the time of submission of its bid, it shall be considered as a Large Enterprise.

(iv) Tax Rate as provided in quotation shall be final.

(v) Any change in GST Rate after the submission of quotation and before the supply (with in delivery period) will be in PSPCL account. However no extra payment on account of increase in GST Rate after the delivery period or supply of material will be made whichever is earlier.

(vi) Due to misclassification of HSN code increase in tax will be in supplier account. However due to misclassification of HSN code decrease in tax will be refunded to the PSPCL.

Negotiations, if at all required, shall be held only with the lowest tenderer.

- Rates should be quoted by the suppliers in their quotations both in figures as well
 Attached price by the suppliers in their quotations both in figures as well
- Attached price break up schedule must be filled and prices must be type written.

 Tendering value less Rs. 5 lac EMD will not be applicable. Tendering value Rs.

 Lac and above EMD @2% of the Tender value rounding to the multiple of Rs.10/- on higher side subject to minimum of Rs.10,000/- and maximum of Rs.

Note:- Tender value is to considered including all taxes and other charges.

EMD will be applicable on Standardized Firms also.

SECURITY DEPOSIT- The successful Tenderers shall be required to submit Security deposit for faithful execution of the purchase order/Contract of value exceeding Rs. 1,00,000/- at the rate of three percent (3%) of ordered value rounded off to a multiple of Rs. 10/- on the higher side. Tenderers exempted from EMD up to Rs. 5.0 Lac will have to submit security deposit for Purchase Orders valued above 1.0 Lac.

Note:- As security deposit will not be applicable on supply of proprietary items and firms supplying material under DGS& D rate contract. Security deposit will be applicable on Standardized Firms also.

7. The payment will be made through RTGS system of digital payments only instead of Cheque/DD. The firm must submit Bank A/c details with the quotation.

8. Your quotation must be valid for at least 120 days from the date of opening.

Hand written/conditional quotation shall not be accepted.

- 10. All other terms and conditions of Annexure-B (attached) and PSEB/PSPCL Purchase Regulations, 2017, amended upto date, shall be applicable.
- 11. The firm should not be blacklisted by PSEB/PSPCL or any other Govt. Deptts./
 Organizations.

12. Quantity mentioned in schedule of requirement can be divided and ordered on more than one supplier.

13. The quotation/tender may be submitted either in person or through registered post but not through courier as courier service is not available at GHTP, Lehra Mohabbat.

"TDS u/s 194Qof Income Tax Act shall be deducted, as applicable."

IMPORTANT NOTE:-

S.

EMD IS PAYABLE THROUGH CASH RECEIPT OR THROUGH DEMAND DRAFT PAYABLE AT LEHRA MOHABBAT/RAMPURA PHUL IN FAVOUR OF AO/O&M,GHTP, LEHRA MOHABBAT.

Dy.Chief Engineer/HQ,
For Chief Engineer/O&M,
GHTP, Lehra Mohabbat.