ANNEXURE-'A'

Enquiry No. 1273 /CS&HMMC/O&M/PC-2744

Dated: 26 - 11 - 2025Due on 23 - 12 - 2025

SCHEDULE OF REQUIREMENT

Sr. No.	GHTP Code	Description	Requirement
1	35052010	Plain Rubber Lagging Sheet Size: 1400x1400x10mm	12 Nos.
2	35052010	Plain Rubber Lagging Sheet Size: 1700x1400x10mm	10 Nos.
3	35052011	Plain Rubber Lagging Sheet Size: 2100x1400x10mm	08 Nos.
4	35052019	Plain Rubber Lagging Sheet Size: 2600x1400x10mm	06 Nos.
5	35052014	Diamond Grooved Rubber Lagging Sheet Size: 1700x1400x12mm	04 Nos.
6	35052017	Diamond Grooved Rubber Lagging sheet Size: 2100x1400x12mm	08 Nos.
7	35052013	Diamond Grooved Rubber Lagging sheet, Size: 2600x1400x12mm	08 Nos.
8	35052015	Diamond Grooved Rubber Lagging Sheet Size: 3200x1400x12mm	02 Nos.

A) TECHNICAL SPECIFICATIONS OF DIAMOND GROOVED RUBBER LAGGING SHEETS: -

1. Shore Hardness : $60^{\circ}\pm5^{\circ}$ on A scale

2. Specific gravity $: 1.15\pm0.02$

3. Tensile strength : 180kg/cm²(Min.)

4. Elongation at break : 450%minimum

5. Abrasion (Volume loss) : 150 mm³ (Max.)

6. Bonding layer (for cold vulcanizing : 02mm thick

Rubber to metal contact)

7. Groove Dimensions : Depth-4mm to 6mm Width-5mm to 6mm

(Approximate)

8. Diamond Angle $120^{0}/60^{0}$

9. Manufacturing of Diamond Grooved lagging sheet for cold vulcanizing by machine moulding process in single piece of each sheet.

B) TECHNICAL SPECIFICATIONS OF PLAIN RUBBER LAGGING SHEETS: -

1. Shore Hardness : $55^0 \pm 5^0$ on A scale

2. Specific gravity : 1.15 ± 0.02

3. Tensile strength : 180 kg/cm²(Min.)

4. Elongation at break : 450%(Min.)

5. Abrasion (Volume loss) : 150 mm³ (Max.)

6. Bonding layer (for cold vulcanizing : 2.0mm thick

Rubber to metal contact)

7. Manufacturing of Plain Rubber sheet for Cold Vulcanizing by machine moulding process in single piece of each sheet.

Note: - Only the manufacturers or their authorized dealers/representatives should be eligible to supply the material and manufacturer/supplier should have testing facilities at their works.

- **Notes:-**1. (i) The firm must have <u>GST Registration number & PAN No.</u> and same should be provided while quoting the rates. If the firm is registered under 'Composite Levies' then the same should be clearly mentioned in the quotation.
- (ii) The firm must provide HSN Code in price schedule Performa in Annexure' C'.
- (iii) Bidder have to submit the documentary evidence (Latest copy of memorandum of Micro Small & Medium Enterprises field under section-8 of MSMED Act, 2006 duly acknowledged by competent authority) of being a Micro, Small & Medium Enterprise, If the bidder does not submit the proof at the time of submission of its bid, it shall be considered as a Large Enterprise.
- (iv) Tax Rate as provided in quotation shall be final.
- (v) Any change in GST Rate after the submission of quotation and before the supply (with in delivery period) will be in PSPCL account. However no extra payment on account of increase in GST Rate after the delivery period or supply of material will be made whichever is earlier.
- (vi) Due to misclassification of HSN code increase in tax will be in supplier account. However due to misclassification of HSN code decrease in tax will be refunded to the PSPCL.
- 2. Negotiations, if at all required, shall be held only with the lowest tenderer.
- 3. Rates should be quoted by the suppliers in their quotations both in figures as well as in words as per Annexure-'C'.
- 4. Attached price break up schedule must be filled and prices must be type written.
- 5. For Tendering value less than Rs. 5 lac EMD will not be applicable. Tendering value Rs. 5 Lac and above EMD @2% of the Tender value rounding to the multiple of Rs.10/- on higher side subject to minimum of Rs.10,000/- and maximum of Rs. 20 Lac.

Note:- Tender value is to considered including all taxes and other charges. <u>EMD will</u> be applicable on Standardized Firms also.

6. SECURITY DEPOSIT- The successful Tenderers shall be required to submit Security deposit for faithful execution of the purchase order/Contract of value exceeding Rs. 1,00,000/- at the rate of three percent (3%) of ordered value rounded off to a multiple of Rs. 10/- on the higher side, Tenderers exempted from EMD up to Rs. 5.0 Lac will have to submit security deposit for Purchase Orders valued above 1.0 Lac.

Note:- As security deposit will not be applicable on supply of proprietary items and firms supplying material under DGS& D rate contract. Security deposit will be applicable on Standardized Firms also.

7. The payment will be made through RTGS system of digital payments only instead of Cheque/DD. The firm must submit Bank A/c details with the quotation.

8. Your quotation must be valid for at least 120 days from the date of opening.

9. Hand written/conditional quotation shall not be accepted.

10. All other terms and conditions of Annexure-B (attached) and PSEB/PSPCL Purchase Regulations, 2017, amended upto date, shall be applicable.

11. The firm should not be blacklisted by PSEB/PSPCL or any other Govt. Deptts./

Organizations.

12. Quantity mentioned in schedule of requirement can be divided and ordered on more

than one supplier.

The quotation/tender may be submitted either in person or through registered post but not through courier as courier service is not available at GHTP, Lehra Mohabbat.

"TDS u/s 194Qof Income Tax Act shall be deducted, as applicable."

IMPORTANT NOTE:-

14

EMD IS PAYABLE THROUGH CASH RECEIPT, DEMAND DRAFT OR THROUGH RTGS AT LEHRA MOHABBAT/RAMPURA PHUL IN FAVOUR OF AO/O&M,GHTP, LEHRA MOHABBAT SBI A/C NO. 55069843647, IFSC CODE: SBIN0050840.

For

Superintending Engineer/HQ, Chief Engineer/O&M

GHTP, Lehra Mohabbat.