in 9

Punjab State Power Corporation Limited (Regd. Office :PSEB Head Office, The Mail Patiala – 147001, Phone No. 0175-2301367 E-mail:cspunjabpower@yahoo.com Corporate Identity Number : U40109PB2010SGC033813 Website:www.pspcl.in OFFICE OF THE ENGINEER-IN- CHIEF/GGSSTP, MATERIAL MANAGEMENT CELL-2, V&P.O. GHANAULI, ROOPNAGAR-140113 (FAX NO 01881-274232, PH NO 01881-275666) (ISO 9001:2000 CERTIFIED)

e-mail : se-monitoring-ggsstp@pspcl.in

To

Regd.

Limited Tender enquiry, On various firm's as per overleaf.

Memo No. 1449/59 P-II/EMP-11570 Dated : 25/2/19

Subject: Procurement of T&P Items for PESCO Security, GGSSTP, Roopnagar

#### Enquiry No 7/22/P-2/EMP-11570 dated: 25/2/19

Date & Time of Receipt of Tender:  $\frac{4/4}{19}$  upto 11.00 A.M. Date & Time of Opening of Tender:  $\frac{4/4}{19}$  at 11.30 A.M.

(In case opening date happens to be holiday, tender shall be opened on next working date at the same time)

Dear Sir's,

Please send your sealed quotation in duplicate in the Performa attached on the firm prices for the supply and delivery of items as detailed in Annexure-'A"enclosed. Enquiry No. and date of opening of tender must be legibly mentioned at right top corner of sealed cover. General terms & conditions shall be as per Annexure-'B' attached. Your quotation should be in two parts. For each item, unit rates should be quoted strictly on the attached performa of pricing schedule. Please note that if quoted rates are not as per attached performa, the offer is liable to be rejected. Insurance and freight charges should be quoted separately, if any.

Also please note that competent authority may distribute the quantities to be procured on more than one firm.

The offer must be kept valid for atleast 120 days as per clause No-6 of Annexure-'B'

D/A- Annexure- A, B,C, I, 1,2,3,4,5

& performa of pricing schedule

GGSSTP, Roopnagar

CC :-

- 1) Dy.CE/EMC,GGSSTP,Roopnagar alongwith Annexure-A-1 to check specifications and intimate,if there is any discrepancy(s) please.
- 2) FA&CAO,GGSSTP,Roopnagar.
- 3) Notice Board.



Punjab State Power Corporation Limited

(Regd. Office : PSEB Head Office, The Mall Patiala - 147001,

Corporate Identity Number : U40109PB2010SGC033813 Website:www.pspci in GURU GOBIND SINGH SUPER THERMAL PLANT ROOPNAGAR

## Annexure-'A'

ENQUIRY NO. 7/22 /P-11/EMP-11570 DT

DT. 25/2/19

## DETAIL OF MATERIAL AND TECHNICAL SPECIFICATIONS.

Sr. No.	Item Code	Description	Qty No's
1	TP025005	Pedestal Fans 1Phase 230 V, 50 Hz.(Khaitan/ Usha/ Orient/ Polar/ Havels) .Technical Specifications as per Annexure -1	8
2	TP027038	50 Ltr. Storage water heater(Geyser) 1 Phase, 230 V , 50 Hz(.Khaitan/ Racold/ Havels). Technical Specifications as per Annexure -3	5
3	TP026028	320 Ltr. Double door Chest deep freezer 1 Phase, 230V 50 hz(Voltas/ LG/Haier) .Technical Specifications as per Annexure -4	4
4	TP011092	Rechargeable Torch Cum Flashlight 1 Phase, 230 V, 50 Hz (Everyday/ Nippon) .Technical Specifications as per Annexure -2	15
5	TP025020	Exhaust Fans 1 Phase 230 v, 50 Hz, sweep 450 mm, speed 900 Rpm as per IS : 2312(Latest) GEC/ havels/Usha / Khaitan). Technical Specifications as per Annexure -5	15

1) Firms should supply their GST Registration certificate along with offer/quotation.

# 2)The items should be quoted as per the makes mentioned.

### **Terms and Conditions:-**

- 1) Fax/Telegraphic/e-mail tender shall not be accepted.
  - 2) The tender shall be sent in two separate envelopes as under:-
  - (a) Part-1- One envelope containing deposit of Earnest Money (if applicable) & Technical /Commercial bids.
  - (b) Part-2- The other containing the prices.
    - While opening the tenders the envelope containing the Earnest Money (if applicable) & Technical /Commercial shall be opened first and in case the deposit of Earnest Money (if applicable) & Technical /Commercial is in accordance with the terms of notice inviting tender only then second envelope containing the tender (prices) shall be opened.
  - 3) The tender must be accompanied by EARNEST MONEY (If applicable as per Annexure-B)
  - 4) The rates should be quoted on FOR destination basis giving break up of FOR Destination price as per **Performa of pricing schedule** attached.
  - 5) The Performa for price schedule enclosed with specification shall be filled by tenderers duly typed and hand written prices shall not be accepted.
  - 6) In addition to the break-up of total price i.e. ex-works cost, GST, Freight, Insurance and Packing the bidders should also give split up of ex-works price.

- 7) Split up of ex-works prices shall indicate cost of raw material, Labour component and overhead expenses.
- 8) Raw material can further be divided into 3-4 parts depending upon type of material.
- The offer should be kept valid for 120 days from date of opening of tenders.
- 10) The bidders are not allowed to indicate over all discounts on the quoted price for which split up has been given as mentioned in Sr. No. 6 & 7 above. However, quantity/payment discount can be given by the tenderer in the main tender.
- 11) Any firm offering discount on the quoted price or after the opening of tender will be out rightly rejected.
- 12) Competent authority may distribute the quantities to be procured on more than one firm.
- 13) All pages of quotation should be duly signed.
- 14) Quantity can be increased or decreased.
- 15) Relevant literature/catalogue should be sent along with quotation.
- 16) Negotiation shall not be held except with lowest bidder.
- 17) Random testing of material on receipt in GGSSTP Store irrespective of the fact whether or not it was inspected before despatch shall be carried out by PSPCL. In case of any failure the entire lot shall be rejected at the risk and cost of the supplier.
- 18) Any deviation from PSPCL's standard terms and conditions be clearly mentioned in quotation under "Schedule of deviations" otherwise all terms and conditions will be deemed to have been accepted.
- 19) Firm should mention GST number in their offer.
- 20) The firm must mention HSN code of all items in their offer along with GST applicable on them. Uniform GST rates shall be applied while comparison of rates.
- 21) The location for the supply of goods/services must be in the territory of Punjab as goods are meant for use in Punjab.
- 22) Sourcing of service should be made from an agency with its office located in the territory of Punjab rather than merely from HQ of that agency. (which may be located outside the state).
- 23) Tenders should enclose copies of Orders/Contracts against which they have supply same material to Thermal Plant of other states.
- 24) Any firm which at the time of opening of the Tender enquiry, falls in any of the following categories, shall be regarded as defaulter and shall not be eligible for participation in any new Tender enquiry for a period of three years from the date of issue of Purchase Order in which it has defaulted:-
- a) The Firm is a defaulter for the supply of 35% or more quantity on the date of expiry of the Contractual Delivery Period for the total ordered quantity.
- b) The Firm is a defaulter for the supply of any quantity for more than 6 months from the date of expiry of the Contractual Delivery Period for the total ordered quantity. This clause shall be applicable item wise (all types, sizes and ratings) against which the firm has become defaulter under the above said conditions.
- 25) All other terms and conditions are as per Annexure 'B' attached.

DA/ Annexure- 'B'

# Performa of pricing schedule

# BREAK UP OF F.O.R. DESTINATION PER UNIT PRICE

# (THIS MUST ACCOMPANY THE TENDER DULY TYPED)

NAME OF TENDERER

QUOTED QUANTITY : \_\_\_\_

#### NATURE OF PRICE : FIRM

A)	Break-up	(Rs.)			
1.	<ul> <li>Ex-works per unit price inclusive of packing forwarding (forming part of production)</li> <li>a) Cost of Major Component per item</li> <li>b) Cost of Minor Component per item.</li> <li>c) Cost of Labour charges per item.</li> <li>d) Overhead expenses per item.</li> <li>e) Packing charges forming part of production cost</li> <li>f) Any other charges</li> </ul>				
2	GST @%				
3.	Sub total (1+2)				
4	Packing cost (not forming part of production cost)				
5.	GST @%				
6.	Sub total (4+5)				
7.	Forwarding charges.				
8.	GST @%				
9.	Sub total (7+8)				
10.	Freight charges.				
11.	GST @%				
12.					
13.	Insurance charges				
14.	GST @%	······			
15.	Sub total (13+14)				
16.	Total (6+9+12+15)				
17.	All-inclusive FOR Destination per unit Rate (3+16)				

# Note: 1. The firms should quote FIRM Prices only and offers of firms quoting variable prices shall be out rightly rejected

Name: \_\_\_\_\_

Designation:

Address and Seal of the firm

NOTES:

- If rate of GST in Para A is not given, the maximum applicable rate of GST, prevailing at the time of opening of tender, shall be taken into consideration.
- ii) The firms indicating NIL or concessional rate of GST in their tenders will have to absorb GST up to the full rate applicable at the time of tendering. The firm who do not agree to this stipulation or indicate GST as extra without indicating the applicable rate shall be loaded with maximum rate of GST for evaluation purpose.
- iii) In case quoted prices or any other declaration/ statement given in this annexure do not tally with the ones given in main tender or elsewhere, the ones given here shall be considered as the quoted price.
- iv) Any arithmetical error shall be considered to the advantage of the purchaser.
- v) The bidders shall not be allowed to indicate over all discount on the quoted price for which split up has been given. Any firm offering discount of the quoted price or after the opening of tender will be out rightly rejected.
- vi) The provisions of GST acts shall prevail upon wherever applicable in the terms and conditions of the specification.
- vii) The firm shall indicate the HSN code of each item.

#### ANNEXURE-C

#### SCHEDULE OF DEVIATIONS (To be filled by tenderer)

Tenderer shall carefully state below any and all points in this proposal which are not in accordance with PSPCL's Technical Specification and the General Instructions:-

Sr. No.	Para no.	Technical Deviation, if any.
1.		
3. contd		
Sr. No.	Para no.	General Deviation, if any.
1.		
2.		
3.		
and	1	

We hereby certify that the above mentioned are the only deviations from Purchaser's aforesaid specifications and general conditions.

Dated.

Authorized Signatory

Name:

Designation:

Address and Seal of the firm

Note: The tenderer is to clearly indicate any deviation in technical & general terms and conditions in this Annexure only. In case, the Technical Specification as well as General conditions of Tender Specifications are acceptable in toto, the word 'NIL shall invariably be put in the above Columns. In case, nothing is mentioned here then it shall be presumed that there is no deviation in the offer and terms and conditions of the specifications are acceptable to the bidder in toto.

#### ANNEXURE-I

(Referred to in clause 28 (c) of Schedule-E)

#### UNDERTAKING FORM

(To be entered on a Non-judicial Stamped paper of

Rs.----only)

Signature of Constituted attorney



0-2 1-5

**Pedestal Fan Specifications** 

Fan Size (mm)

Fan Type

Oscillating

300 millimeter

Maximum Input Power(Watt)

Air Delivery

61 watts for 400 mm

30 cu.meter/min for 300 mm

Supply

Rating

Conformity to Indian Standard

Continuous

IS:1169 Latest

230 Volt AC, 50Hz

Aste Security

Annescure - 2

SPECIFICATIONS OF TORCH LIGHTS (RECHARGABLE)

Type of lamp	LED
Dia of search light (mm)	151 to 175
Wattage of lamp (Watt)	10
Color temperature (Degree K)	5500 to 6500 deg. K for other lamps
Type of battery	SMF
Type of housing material	ABS
Warranty for HHSL (in years)	12 Months (SMF Lead acid battery)
Continuous search light operation time at maximum	
lumen output (Hours)	FOR LED / XENON ./= 5 HRS
Type of lamp	LED
Battery capacity (AH)	12 Volt 7 AH
CONSTRUCTIONAL	1
Dia of search light (mm)	151 to 175
Wattage of lamp (Watt)	10
Color temperature (Degree K)	5500 to 6500 deg. K for other lamps
Beam angle selection	Wide
Range of Narrow beam angle (Degree) and Range of wide	up to 4 deg
beam angle (Degree)	
Type of front glass	Toughened, scratch resistant
One hand operated switch	Yes
Built-in battery charger	Yes
Type of battery	SMF
Battery Voltage (Volts)	12
Provision of Lanyard/ strap	Yes
Rugged, impact and water resistant material of housing	Yes
Type of housing material	ABS
Accessories such as Battery charger with cable for	Yes
External type Charging cable for inbuilt type	
Gross weight of Hand Held Search with battery (grams)	3.8 kg (max.) with SMF Lead Acid battery
Warranty for HHSL (in years)	12 Months (SMF Lead acid battery)
HHSL system with battery shall pass the drop testf rom 1	Yes
mtr., height	
FUNCTIONAL	
Light output of search lght (LUX at 100 metres))	1000
Effective distance of search light (Metre)	> / = 400 metres
Lamp dimming	Step type
Continuous search light operation time at maximum	FOR LED / XENON ./= 5 HRS
lumen output (Hours)	
Battery charging time (Hours)	8
Operating Temperature range (Degree C)	-20 deg C to +55 deg c
Operating relative humidity range (%)	RH 95% at 40 deg.c
Lamp life (Hours)	100000
	281.0.54/2010.0040

ASE/Security

Annexure-3

Geyser :-TYPE/CAPACITY Type of Geyser

Closed

**Capacity Liters** 

50 liter

Vertical

Pressure Rating

Wall Mounting

60 N/Sq.cm

Material of Outer Container

CRCA

Copper

2 Meter

Material of Inner Container

Minimum Length of Flexible Cable With 3 Pin Plug of 16 amps

Warranty

(2 Year)

Conforming to Indian Standard

IS:2082 (Latest)

Add. SE/Security G.G.S.S.T.P, Roopnagar

Ammescure -4

# Deep Freezer:-TYPE/CAPACITY

Capacity (Liters)

320 Liters

Cooling Type

**Direct Cool** 

Sub Type

**Double Door Chest** 

Features Semi automatic mechanism initiated through thermostat

Color

White

Voltage

1-4,230 VAC

Frequency

50 Hz

Environmental Protection CFC-Free Insulation for Environment Protection

Material

Metal

Add. SE/Security G.G.S.S.T.P, Roopnagar Annexure-5

# Exhaust Fan :-TYPE/CAPACITY Sweep Size (mm)

Speed

No. of Poles

Type of Fan

Insulation Material

Minimum Air Delivery (m3/h)

Maximum watt Input (Watt)

Power factor

Colour

**Motor Enclosure** 

450 Millimeter 900 RPM 6

Non-Capacitor Type

Class B

As per IS: 2312 (Latest)

As per IS: 2312 (Latest)

As per IS: 2312 (Latest)

GREY

Fan motor is totally enclosed type

Add. SE/Security G.G.S.S.T.P, Roopnagai