

Punjab State Power Corporation Limited

GURU HARGOBIND THERMAL PLANT, LEHRA MOHABBAT Regd. office: PSEB Head Office, The Mall, Patiala-147001.

Corporate Identity Number: U40109PB2010SGC033813, Website: www.pspcl.in Phone: 0164-2756347, Fax No.: 0164-2756255, E-mail: se-hq-op-lehra@pspcl.in

GSTIN: 03AAFCP5120Q1ZC Dated 20-06-2012 From Chief Engineer/O&M, (Procurement Cell), GHTP, Lehra Mohabbat-151111. To Regd. /PC- 9307 Memo No. Dated: Enquiry for the procurement of Various Types of Clamps. Subject:-(Date & time of coening of tender-Upto 11.30 AM dt.) Date & time of opening of tender-12.00 PM dt.: (In case opening date happens to be a holiday tenders shall be received & opened on next working day at the same time). Dear Sir, Please send your quotation in duplicate on firm prices for supply and delivery of items in acordance with general terms and conditions given in Annexure-'B' attached. The unit rates should be quoted in the same order as given in the schedule of requirement attached as Annexure-'A'. While quoting the enquiry number and date of opening of tenders must be legibly mentioned at right top corner of sealed cover. Also please note that:-Competent authority may divide the quantities to be procured and place order on i) more than one firm. "Certified that the rates quoted are reasonable and these are not more than those being charged from other Govt. Departments. Dy. Chief Engineer/HQs, DA/Annexure A&B Chief Engineer/O&M, For GHTP, Lehra Mohabbat. CC: Dy. CE/SE/ EMC, GHTP, Lehra Mohabbat. He is requested to check up the specifications and intimate if there is any discrepancy. Notice Board, GHTP, Lehra Mohabbat. Tender up Load at P.S. P.CL Website

ANNEXURE-'A'

Enquiry No. 1401 /O&M/PC-2307 Dated: 2-0-6- -2022 Due on 8-07- -2022

SCHEDULE OF REQUIREMENT

r. O	GHTP Code	Description of material	Units	Qty. Required
9	No.			
	40107008	245kV HV bushing clamps for 250MVA Generator Transformer (GT-1 & 2) one side suitable for ACSR Moose conductor & other side suitable for 60mm dia bushing rod with bimetallic strip (By bimetallic not riveted to clamp) made of aluminum alloy fitted with stainless steel fully threaded	No.	
	40107010	nuts & bolts and washers with spring washers 245kV isolator & circuit breaker clamps for GT 1 &2 bays, all outgoing lines, all ST's & 160 MVA T-1 made of aluminum alloy, one side suitable for ACSR Moose conductor & other side flat of size 100x110x20mm, with galvanized iron fully threaded nut & bolts with	No.	10
3	40107011	washers & sprin washers. (without holes). 245kV isolator & circuit breaker clamps made of aluminum alloy for GT- 3& 4 bays, one side suitable for all aluminum tarantula conductor & other side flat of size 100x110x20mm, with galvanized iron fully threaded nut & bolts with washers & sprin washers (without holes) Stage-2	No.	10
4	40107031	245 KV Crimping type T clamp suitable for Tarantula Conductor with fully threaded galvanized iron nuts & bolts with washers with spring	No.	10
5	40107032	washers. 245kV HV bushing clamps for 315MVA Generator Transformer (GT-3 & 4) one side suitable for Tarantula conductor & other side suitable for 60 mm dia bushing rod with bimetallic strip (By bimetallic not riveted to clamp) made of aluminum alloy fitted with stainless steel fully threaded nuts & bolts and washerswith spring washers.	No.	2
6	40107033	conductor & other side 30 mm bushing dia with bimetallic strip (By bimetallic not riveted to clamp) made of aluminum alloy fitted with stainless steel fully threaded nuts & bolts and washers with spring	No.	3
7	4C 107034	Moose conductor & other side size 60mm bushing did with birnetallic strip (By bimetallic not riveted to clamp) made of aluminum alloy fitted with stainless steel fully threaded nuts & bolts and washers with spring	No.	3
8	40107035	Zebra conductor & other side size 60mm bushing dia with bimetallic strip (By bimetallic not riveted to clamp) made of aluminum alloy fitted with stainless steel fully threaded nuts & bolts and washerswith spring	No.	3
6	4010703	6 245kV isolator & circuit breaker clamps made of aluminum alloy, one side suitable for Zebra conductor & other side flat of size 100x110x20mm for 160 MVA T-2 Bay with galvanized iron fully threaded put & bolts with washers & sprin washers. (without holes)		15
	10 4010703	245kV Isolortor clamps T type for twin Tarntalia conductor for bus coupler stage-1 & 2, Bus section 1 & 2.with galvanized iron fully threader nut & holifs with washers & sprin washers. (without holes).		6
	11 401070	245kV crimping type thimbies (Without Holes) suitable for Tarntulla conductor for GT-3 & 4 bus section-1&2 &bus coupler stage-2. thickness 11 mm minimum. with fully threaded galvanized iron nuts &bolts with washers with spring washers.	No.	15

	40107039	245kV crimping type thimbles (Without holes) Suiatble for Moose	No.	10.
2	4/10/033	conductor Size for S1-3 & 4 and Daniella with spring washers.		. 7
13	40107040	conductor Size for ST-3 & 4 and Barriala To 2. galvanized iron nuts & bolts with washers with spring washers. 245 KV Crimping type T clamp suitable for Moose Conductor with fully threaded galvanized iron nuts & bolts with washers with spring washers.	No.	15
3	10 10 10	threaded dalvanized [foil fluts & botto with a	No.	5
14	40107041	245 KV T Type plates without holes, size 300 mm, width 200 mm, thickness 20 mm. T Type plates should have Crimping type Sleeves for twin Tarantula Conductor , with fully threaded galvanized iron nuts & twin Tarantula Conductor , with surjug washers.		
15	90107001	bolts with wasners with spring wasness of capacity 2000Amps as per	set	15
15	0010100	drawing Annexure-A-I (Stage-2) (Elife testate)	set	10
16	90107002	Copper contact for isolator moving rod of capacity 2000Amps as per drawing Annexure-A-II (Stage-2) (Bus section & Bus coupler Isolator)		
		anacity 1600Amps as per	set	15
17	40107048	drawing Annexure-A-III (Stage-1) (Bus seetien, 1997)		
40	90107003	Line isolator & GT Isolator)	No.	20
18	90 107 000	Fixed copper contact strip for Isolator of capacity 2000 times of ca		
		Isolator) Isolator of capacity 1600Amps as per	No.	20
19	40107049	drawing Annexure-A-V (Stage-1) (Line, 3%, Bus 333334		
		Isolator)		

NOTE:

- For item no 1 to 14, 12 mm dia bolts are required and the details of washers are: ID =14 mm, OD=26 mm, t=3 mm. spring washer: 1) ID=14 mm, OD =22 mm & t= 3mm.
- For item no 15 to 19 as per drawings attached. 2)
- Minimum thickness at any point of 245 KV clamps must not be less than 20 mm.
- Bidder should either be manufacturer or its authorized dealer. 4) Authorized dealer will submit authority letter also.
- Bidder will submit test report/certificates of the material. 5)
- Notes:-1. (i) The firm must have GST Registration number & PAN No. and same should be provided while quoting the rates. If the firm is registered under 'Composite Levies' then the same should be clearly mentioned in the quotation.
- The firm must provide HSN Code in price schedule Performa in Annexure' C'.
- (iii) Bidder have to submit the documentary evidence (Latest copy of memorandum of Micro Small & Medium Enterprises field under section-8 of MSMED Act, 2006 duly acknowledged by competent authority) of being a Micro, Small & Medium Enterprise, If the bidder does not submit the proof at the time of submission of its bid, it shall be considered as a Large Enterprise.
- Tax Rate as provided in quotation shall be final.
- Any change in GST Rate after the submission of quotation and before the (v) supply (with in delivery period) will be in PSPCL account. However no extra payment on account of increase in GST Rate after the delivery period or supply of material will be made whichever is earlier.
- (vi) Due to misclassification of HSN code increase in tax will be in supplier account. However due to misclassification of HSN code decrease in tax will be refunded to the PSPCL.
- 2. Negotiations, if at all required, shall be held only with the lowest tenderer.
- 3. Rates should be quoted by the suppliers in their quotations both in figures as well as in words as per Annexure-'C'.
- 4. Attached price break up schedule must be filled and prices must be type written.

Tendering value less Rs. 5 lac EMD will not be applicable. Tendering value Rs. 5 Lac and above EMD @2% of the Tender value rounding to the multiple of 5. Rs.10/- on higher side subject to minimum of Rs.10,000/- and maximum of Rs.

Note:- Tender value is to considered including all taxes and other charges.

EMD will be applicable on Standardized Firms also.

SECURITY DEPOSIT- The successful Tenderers shall be required to submit Security deposit for faithful execution of the purchase order/Contract of value 6. exceeding Rs. 1,00,000/- at the rate of three percent (3%) of ordered value rounded off to a multiple of Rs. 10/- on the higher side. Tenderers exempted from EMD up to Rs. 5.0 Lac will have to submit security deposit for Purchase Orders valued above

Note:- As security deposit will not be applicable on supply of proprietary items and firms supplying material under DGS& D rate contract. Security

deposit will be applicable on Standardized Firms also.

The payment will be made through RTGS system of digital payments only instead of Cheque/DD. The firm must submit Bank A/c details with the 7.

Your quotation must be valid for at least 120 days from the date of opening.

Hand written/conditional quotation shall not be accepted. 8.

All other terms and conditions of Annexure-B (attached) and PSEB/PSPCL 9. Purchase Regulations, 2017, amended upto date, shall be applicable. 10.

The firm should not be blacklisted by PSEB/PSPCL or any other Govt. Deptts./ 11.

Quantity mentioned in schedule of requirement can be divided and ordered on 12. than one supplier.

The quotation/tender may be submitted either in person or through registered post but not through courier as courier service is not available at GHTP, 13. Lehra Mohabbat.

"TDS u/s 194Qof Income Tax Act shall be deducted, as applicable." 14

> ·马州海河村 2/1/2

IMPORTANT NOTE:-

EMD IS PAYABLE THROUGH CASH RECEIPT OR THROUGH DEMAND DRAFT **FAVOUR** OF MOHABBAT/RAMPURA PHUL IN AT LEHRA PAYABLE AO/O&M,GHTP, LEHRA MOHABBAT .

1.

For

Dv.Chief Engineer/HQ, Chief Engineer/O&M. GHTP, Lehra Mohabbat.